Common Plants and Flowers of Cliff Camp

Steve Kliewer, June 2019

Wildflowers

Mountain Pride Penstemon

Family	Figwort
Name	Penstemon newberryi
Flower	Crimson, ¾", tubular,
	irregular (2 lobes on top and
	3 on bottom)
Leaves	Oval, ½", opposite
Stems	1 ft or less, erect
Found	Rocky areas



Pussy Paws

Family	Purslane
Name	Calytridium umbellatum
Flower	Rosy, dense papery terminal
	heads
Leaves	Spoon-shaped, basal rosette
Stems	3 to 15", mostly prostrate
Found	Sandy or gravelly soil



Indian Paintbrush

Family	Figwort
Name	Castilleja pinetorum
Flower	Orange or yellow,
	spikes and bracts
Leaves	Oblong, hairy, ½ - 1"
Stems	6-12", erect, branching
Found	



Queen Anne's Lace

Family	Parsley
Name	Eulophus bolanderi
Flower	White, very small
	in lacy umbels
Leaves	Triangular, 2 to 6" long
Stems	1 to 2 ft, erect, nearly naked
Found	meadows



White Mariposa Lily

Family	Lily
Name	Calochortus venustus
Flower	White, 6 petals, showy, 1-2"
Leaves	Narrow, 1 or 2 at base
Stems	4-10", erect, nude, from a
	bulb.
Found	Dry forested areas



Collinsia

Family	Plantain
Name	Collinsia torreyi
Flower	White on top lobe , blue on
	bottom, ½"
Leaves	Lance-shaped, opposite, 1-3"
Stems	2-12", erect, simple or
	branching
Found	Damp sandy soil



Golden Brodeia

Family	Lily
Name	Brodiaca ixoides
Flower	Salmon-yellow with dark vein,
	6 petals, ½ - ¾"
Leaves	Few, grass-like
Stems	½ - 1 ft, erect, grows from
	bulb
Found	Sandy soil



Sierra Star Tulip

Family	Lily
Name	Calochortus nudus
Flower	White, 3 petals, ½"
Leaves	1 basal parallel-veined
	grass-like, 3-10"
Stems	2-6"
Found	Moist meadows



Miners Lettuce

Family	Purslane
Name	Monticello perfoliate
Flower	White to pink, in receme, ¼"
Leaves	Disc, encircling stem just
	below flower cluster, ½ - 2"
Stems	4-10", erect, bare
	Leaves and stems eaten by
	Indians and miners
Found	Shady moist areas



Harvest Brodiaea

Family	Lily
Name	Brodiaea coronaria
Flower	Blue or violet, 6 petals, open
	umbel, 1-2"
Leaves	Few, grass-like
Stems	7-20", erect
Found	meadows



Meadow Golden Rod

Family	Sunflower
Name	Solidago elongata
Flower	Yellow, small in dense
	panicle
Leaves	Oblong to lance-shaped,
	2 to 4"
Stems	1 to 3 ft, erect, leafy
Found	meadows



Yellow Monkey Flower

Family	Figwort
Name	Mimulus guttatus
Flower	Yellow, irregular, ½ - 1"
Leaves	Palmate, deeply lobed, 1-2"
Stems	1-10", simple to branched
Found	Moist soil



Mustang Clover

Family	Phlox
Name	Linathus montanus
Flower	White, pink, or red, 5 petals,
	Radiating from bristly round
	bract
Leaves	Lance-like, opposite, hairy,
	¼ - 1 ¼"
Stems	4-22", erect
Found	Dry, gravelly places



Farewell-to-Spring

Family	Evening Primrose
Name	Clarkia dudleyana
Flower	Red with purple splotch,
	4 petals, ½ - 1" dia
Leaves	Narrow to ance-shaped,
	1/2 - 2"
Stems	1-3 ft, erect, simple
Found	Dry open places





Small Larkspur

Buttercup
Delphinium decorum
Deep blue, irregular, 5 petals
With backward pointing spur
Wide, deeply parted, basal,
3-5"
1-2 ft
Along streams or wet meadows



Streptanthus – Jewel Flower

Family	Mustard
Name	Streptanthus tortuosus
Flower	Cream colored, urn-shaped,
	1/4 - 1/2"
Leaves	Oval, encircling stem,
	½ - 1 ½"
Stems	½ - 4 ft
Found	Dry rocky slopes



Corn Lily

Family	Lily
Name	Veratrum californicum
Flower	White, tall panicle,
Leaves	Oval, long, pointed,
	parallel-veined
Stems	3-6 ft, thick fibrous
Found	Wet meadows



Wild Strawberry

Family	Rose
Name	Fragaria californica
Flower	White, 5 petals, clustered,
	½ - 1"
Leaves	Oval, toothed, 3 leaflets, 1"
Stems	4-5", often as runners
Found	Shaded damp areas



Sierra Shooting Stars

Primrose
Dodecatheon jeffreyi
Pink-crimson tinged with yellow, umbels of 5-15 flowers, 1" long, nodding, petals bent backward with black stamen protruding
Lance-shaped, basal, 2-15"
1 to 2 ft, erect
Wet places



Red Columbine

Family	Buttercup
Name	Aquilegia formosa
Flower	Scarlet, center yellow, regular, 5 petals, formed into backward pointing tubes, Seeds in autumn are flat in 5-lobed capsule.
Leaves	Compound, leaflets, deeply lobed
Stems	1-3 ft, branching
Found	Moist shaded sites



Sierra Tiger Lily

F 1	1.11
Family	Lily
Name	Lilium parvum
Flower	Orange-yellow spotted purple,
	1 – 1 ¼",
	Seeds in autumn are black
	oblong in 3-lobed capsule.
Leaves	Long, narrow, 3 – 5"
Stems	1 – 7 ft, from a bulb
Found	Boggy places and near streams.



Indian Pond Lily

Family	Water Lily
Name	Nymphaea polysepala
Flower	Yellow, 3-5" dia
Leaves	Heart-shaped, floating,
	7-14"
Stems	In water
Found	Ponds and slow streams



Death Camas

Family	Lily
Name	Zygadenus venenosus
Flower	Greenish-yellow, 3/8",
	in racemes 3-10" long
Leaves	Linear, basal, ½" wide
Stems	6-24" erect
	Bulb is poisonous
Found	In moist places



Brewer Lupine

Family	Pea
Name	Lupinus breweri
Flower	Blue, in 2" terminal racemes,
	Fruit is a pea pod
Leaves	Compound,
	5-17 narrow leaflets
Stems	2-9"
Found	Dry stony slopes



Sierra Stonecrop – Sierra Sedum

Crassulaceae
Sedum Obtusatum
Yellow, clustered, ¼"
Succulent, mat-like,
basal rosette
3-6", erect
Rocky slopes in coarse sand



Canyon Live-Forever

Family	Crassulaceae
Name	Dudleyi cymosa
Flower	Yellow-red, thimble-shaped
Leaves	Gray-green basal rosette,
	succulent
Stems	Red-orange
Found	Rock crevices



Snow Plant

Family	Heath
Name	Sarcoides sanguinea
Flower	½ - ¾", crowded around
	stem in raceme
Leaves	Reddish Scales
Stems	9-18", erect, stout, fleshy
Found	Forest humus. It is a saprophyte
	and lives on decaying matter



Soap Root

Family	Lily
Name	Chlorogalum pomeridianum
Flower	Few
Leaves	Many, long, parallel veins,
	1 to 2 ft
Bulb	2" dia, coarse brown fibers,
	lathers in water, edible, used
	as brush
Found	Dry open stony ground



Bracken Fern

Family	Fern
Name	Pteridium aquilinum
Flower	None,
	spores released from underside
Leaves	Triangular fronds, dark to
	light green
Stems	1-3 ft
Found	Shaded moist forest



Chaparral Dodder

Family	Morning Glory
Name	Cuscuta californica
Flower	Tiny white
Leaves	scales
Vine	Parasitic, yellow-orange
	straw
Found	Grassland and chaparral



Shrubs

California Hazelnut

Family	Birch
Name	Corylus cornuta californica
Flower	Pink, small, solitary
1.011	Nut is ½" long in hairy tube
	Male catkins are wormlike and hanging
Leaves	Rounded or pointed, toothed,
	1-3"
Stems	5-12 ft, many spreading
	loose stems, bark is smooth.
Found	Cool canyons along streams



Sierra Gooseberry

Family	Saxifrage
Name	Ribes roezlii
Flower	Small
	Fruit is round, green to red, and
	spiny. Makes great jellies
Leaves	Deeply lobed, alternate
Stems	1-2ft, branched, spiny
	Durania o foresto
Found	Dry pine forests



Sierra Current

Family	Saxifrage
Name	Ribes nevadense
Flower	Red to white, small
	Fruit is small smooth purple
	berry. Tasty when ripe
Leaves	Deeply lobed, alternate
Stems	2-6 ft, branched smooth
Found	Shaded damp areas



Thimbleberry

Family	Rose
Name	Rubus parviflorus
Flower	White, 5 petals, 1-2"
	Berry is red, wide, hemispheric.
	Delightful like raspberry.
Leaves	Rounded, 3-5 lobed, toothed
	2-7"
Stems	3-6 ft, erect, smooth
Found	Along shaded streams



Ceanothus - Deer Brush

Family	Buckthorn
Name	Ceanothus integerrimus
Flower	White or blue in 4" raceme
Leaves	Lance-shaped to oblong,
	glossy, alternating, 1-3"
Shrub	3-13 ft, branching, dense,
	yellow to pale green
Found	



Greenleaf Manzanita

Family	Heath
Name	Arctostaphylus patula
Flower	White to pink, urn-shaped
Leaves	Oval to round, flat, shiny, 2"
Shrub	3-6 ft, twisting and reddish-
	brown bark
Found	Dry sandy soil



Blue Elderberry


Family	Honeysuckle
Name	Sambucus nigra caerulea
Flower	White to cream, in flat umbel, ¼"
	Fruit is ¼" blue-black berry with
	powder blue coating
Leaves	Lance-shaped to elliptical,
	hairless, pointed, toothed, 1-6"
Stems	Up to 30 ft tall
Found	Moist exposed slopes



Trees

Sugar Pine

Family	Pine
Name	Pinus lambertiana
Needles	Bundles of 5, 2-4"
Cones	Long, 10-20"
Note	Tallest and largest pine trees.
	Sweet resin, similar to maple sugar





Ponderosa – Yellow Pine

Family	Pine
Name	Pinus ponderosa
Needles	Bundles of 2-3,
	4-8" long
Cones	2-6", conical or egg-shaped
	Outturned prickles on each scale
Note	Bark is blackish, rough, furrowed
	Most common pine in Sierra



Jeffrey Pine

Family	Pine
Name	Pinus jeffreyi
Needles	Bundles of 3,
	5-10" long
Cone	5-10", conical or egg-shaped
	Inturned prickles on each scale
Note	Compared to Yellow Pine: Bark is darker and smells of vanilla Crushed fresh needles smell of apples
	Most common pine near cabin.





Lodgepole Pine - Tamarack

Family	Pine
Name	Pinus contorta murrayana
Needles	Bundles of 2, 1-2" long
Cone	¾ - 2", egg-shaped
Note	Bark is light-brown, thin, and scaley



Sierra Juniper

Family	Cypress
Name	Juniperus occidentalis
Needles	Scalelike, rounded
Cones	Purple, ¼", berrylike
Note	Bark is reddish-brown,
	furrowed, shreddy



California Black Oak

Family	Beech
Name	Quercus Kelloggii
Acorns	1", enclosed in scaly cup
Leaves	Palmate, deeply lobed,
	toothed, 3-8"
Bark	Dark-brown, thick
Found	Sandy gravelly and rocky soils
	Often as spreading shrubs





Douglas Fir

Family	Pine
Name	Pseudotsuga menziesii
Needles	Yellow-green , flat, spreading in
	two rows, ¾ - 1"
Cone	2-3", narrow egg-shaped
Bark	Reddish brown, thick ,
	furrowed
Notes	Most common in lumber



White Fir

Family	Pine
Name	Abies concolor
Needles	Blue-green, flat, spreading 2
	rows at right angles, 1-2"
Cone	3-5", cylindrical, upright
Bark	
Notes	Moist rocky soils



Quaking Aspen

Family	Willow
Name	Populus tremuloides
Leaves	Nearly round
Bark	Whitish, smooth, thin, often
	marked or scared
Notes	Leaves have a narrowed petiole
	allowing leaf to "quake" in wind.
	Often found as twisted shrubs.



Lemmon's Willow

Family	Willow
Name	Salix lemmonii
Leaves	Lance-shaped, 2-4"
Bark	Green to brown, thin
Notes	Shrub thicket, 3-12 ft
	In moist and wet areas



Incense Cedar

Family	Cypress
Name	Libocedrus decurrens
Needles	Scale-like, opposite in 4
	rows, shiny green, ½"
Cone	¾ - 1", oblong
Bark	Reddish brown, thick deeply
	furrowed or shreddy
Notes	Aromatic & soft wood



Giant Sequoia

Family	Cypress
Name	Sequoiadendron giganteum
Needles	triangular
Cone	Oblong, 2"
Bark	Reddish-brown shreddy
Notes	Largest trees in world



